



VALEO SERVICE SAS  
EUROPE

HYDRAULIC MINERAL FLUID (HYDRO GREEN)

(402410-402411)

Revision nr. 1

Dated 13/03/2018

Printed on 10/04/2018

Page n. 1/11

## Safety Data Sheet

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name **HYDRAULIC MINERAL FLUID (HYDRO GREEN) - 402410-402411**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use **HYDRAULIC MINERAL FLUID (for B2C)**

| Identified Uses   | Industrial | Professional | Consumer |
|-------------------|------------|--------------|----------|
| Functional Fluids | ✓          | ✓            | ✓        |
| Lubricants        | ✓          | ✓            | ✓        |

#### 1.3. Details of the supplier of the safety data sheet

Name **Valeo Service UK Limited**  
Full address **Heming Road, Washford**  
District and Country **Redditch, Worcestershire B98 0DZ**  
**United Kingdom**  
Tel. **+441527838300**  
Fax **+441527523732**

e-mail address of the competent person responsible for the Safety Data Sheet **vsa.uk.technical.mailbox@valeo.com**

#### 1.4. Emergency telephone number

For urgent inquiries refer to **844 892 0111 (24 hrs)**

### SECTION 2. Hazards identification

#### 2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2015/830.  
Hazard classification and indication:

#### 2.2. Label elements

Hazard pictograms: --

Signal words: --

Hazard statements: --



VALEO SERVICE SAS  
EUROPE

HYDRAULIC MINERAL FLUID (HYDRO GREEN)

(402410-402411)

Revision nr. 1

Dated 13/03/2018

Printed on 10/04/2018

Page n. 2/11

Precautionary statements:

--

### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

## SECTION 3. Composition/information on ingredients

### 3.1. Substances

Information not relevant

### 3.2. Mixtures

Contains:

| Identification                    | x = Conc. %      | Classification 1272/2008 (CLP)  |
|-----------------------------------|------------------|---|
| <b>Highly refined mineral oil</b> |                  |   |
| CAS 101316-72-7                   | $40 \leq x < 50$ | Asp. Tox. 1 H304, Classification note according to Annex VI to the CLP<br>Regulation: L |
| EC 309-877-7                      |                  |   |
| INDEX -                           |                  |   |
| Reg. no. 01-2119489969-06-xxxx    |                  |   |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

|   |  |   |
|---|--|---|
|  | <b>VALEO SERVICE SAS<br/>EUROPE</b>  | Revision nr. 1  |
|   | <b>HYDRAULIC MINERAL FLUID (HYDRO GREEN)</b><br><br><b>(402410-402411)</b> | Dated 13/03/2018<br>Printed on 10/04/2018<br><br>Page n. 3/11 |

## SECTION 5. Firefighting measures

### 5.1. Extinguishing media

#### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

#### UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

### 5.2. Special hazards arising from the substance or mixture

#### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

#### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SECTION 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not

|   |   |   |
|---|---|---|
|  | <b>VALEO SERVICE SAS<br/>EUROPE</b>                                   | Revision nr. 1  |
|   | <b>HYDRAULIC MINERAL FLUID (HYDRO GREEN)<br/><br/>(402410-402411)</b> | Dated 13/03/2018<br>Printed on 10/04/2018<br><br>Page n. 4/11 |

eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

Information not available

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

#### HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance

liquid



**VALEO SERVICE SAS  
EUROPE**

**HYDRAULIC MINERAL FLUID (HYDRO GREEN)**

**(402410-402411)**

Revision nr. 1

Dated 13/03/2018

Printed on 10/04/2018

Page n. 5/11

|  |                |
|--|----------------|
| Colour                                 | green          |
| Odour                                  | characteristic |
| Odour threshold                        | Not available  |
| pH                                     | Not available  |
| Melting point / freezing point         | Not available  |
| Initial boiling point                  | > 270 °C       |
| Boiling range                          | Not available  |
| Flash point                            | 185 °C         |
| Evaporation Rate                       | Not available  |
| Flammability of solids and gases       | Not available  |
| Lower inflammability limit             | Not available  |
| Upper inflammability limit             | Not available  |
| Lower explosive limit                  | Not available  |
| Upper explosive limit                  | Not available  |
| Vapour pressure                        | Not available  |
| Vapour density                         | Not available  |
| Relative density                       | 0,855-0,895    |
| Solubility                             | insoluble      |
| Partition coefficient: n-octanol/water | Not available  |
| Auto-ignition temperature              | Not available  |
| Decomposition temperature              | Not available  |
| Viscosity                              | 32 cSt @ 40 °C |
| Explosive properties                   | Not available  |
| Oxidising properties                   | Not available  |

**9.2. Other information**

|                              |   |
|------------------------------|---|
| VOC (Directive 2010/75/EC) : | 0 |
| VOC (volatile carbon) :      | 0 |

**SECTION 10. Stability and reactivity**

**10.1. Reactivity**

The product may react exothermically on contact with strong oxidising or reducing agents, strong acids or bases.

**10.2. Chemical stability**

Excessively high temperatures can cause thermal decomposition.

**10.3. Possibility of hazardous reactions**

See paragraph 10.1.

**10.4. Conditions to avoid**

Avoid overheating.

**10.5. Incompatible materials**

Oxidising or reducing agents. Strong acids or bases.

**10.6. Hazardous decomposition products**

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

|   |  |   |
|---|--|---|
|  | <b>VALEO SERVICE SAS<br/>EUROPE</b>  | Revision nr. 1  |
|   | <b>HYDRAULIC MINERAL FLUID (HYDRO GREEN)</b><br><br><b>(402410-402411)</b> | Dated 13/03/2018<br>Printed on 10/04/2018<br><br>Page n. 6/11 |

## SECTION 11. Toxicological information

### 11.1. Information on toxicological effects

#### Metabolism, toxicokinetics, mechanism of action and other information

Information not available

#### Information on likely routes of exposure

Information not available

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

#### Interactive effects

Information not available

#### ACUTE TOXICITY

LC50 (Inhalation) of the mixture:  
Not classified (no significant component)  
LD50 (Oral) of the mixture:  
Not classified (no significant component)  
LD50 (Dermal) of the mixture:  
Not classified (no significant component)

Highly refined mineral oil

LD50 (Oral) > 5000 mg/m<sup>3</sup>

#### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

#### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

#### RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

|   |  |   |
|---|--|---|
|  | <b>VALEO SERVICE SAS<br/>EUROPE</b>  | Revision nr. 1  |
|   | <b>HYDRAULIC MINERAL FLUID (HYDRO GREEN)</b><br><br><b>(402410-402411)</b> | Dated 13/03/2018<br>Printed on 10/04/2018<br><br>Page n. 7/11 |

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

**SECTION 12. Ecological information**

**12.1. Toxicity**

Information not available

**12.2. Persistence and degradability**

Information not available

**12.3. Bioaccumulative potential**

Information not available

**12.4. Mobility in soil**

Information not available

**12.5. Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

**12.6. Other adverse effects**

Information not available

**SECTION 13. Disposal considerations**



**VALEO SERVICE SAS  
EUROPE**

**HYDRAULIC MINERAL FLUID (HYDRO GREEN)**

**(402410-402411)**

Revision nr. 1

Dated 13/03/2018

Printed on 10/04/2018

Page n. 8/11

**13.1. Waste treatment methods**

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.  
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.  
CONTAMINATED PACKAGING  
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

**SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

**14.1. UN number**

Not applicable

**14.2. UN proper shipping name**

Not applicable

**14.3. Transport hazard class(es)**

Not applicable

**14.4. Packing group**

Not applicable

**14.5. Environmental hazards**

Not applicable

**14.6. Special precautions for user**



|   |  |   |
|---|--|---|
|  | <b>VALEO SERVICE SAS<br/>EUROPE</b>  | Revision nr. 1  |
|   | <b>HYDRAULIC MINERAL FLUID (HYDRO GREEN)</b><br><br><b>(402410-402411)</b> | Dated 13/03/2018<br>Printed on 10/04/2018<br><br>Page n. 9/11 |

Not applicable

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Information not relevant

**SECTION 15. Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

**15.2. Chemical safety assessment**

No chemical safety assessment has been processed for the mixture and the substances it contains.

**SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

|   |  |  |
|---|--|--|
|  | <b>VALEO SERVICE SAS<br/>EUROPE</b>  | Revision nr. 1   |
|   | <b>HYDRAULIC MINERAL FLUID (HYDRO GREEN)</b><br><br><b>(402410-402411)</b> | Dated 13/03/2018<br>Printed on 10/04/2018<br><br>Page n. 10/11 |

**Asp. Tox. 1**                      Aspiration hazard, category 1  
**H304**                                May be fatal if swallowed and enters airways.

**LEGEND:**

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

**GENERAL BIBLIOGRAPHY**

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
  2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
  3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
  4. Regulation (EU) 2015/830 of the European Parliament
  5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
  6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
  7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
  8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
  9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
  10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
  11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
  12. Regulation (EU) 2016/1179 (IX Atp. CLP)
  13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. - 10th Edition
  - Handling Chemical Safety
  - INRS - Fiche Toxicologique (toxicological sheet)
  - Patty - Industrial Hygiene and Toxicology
  - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
  - IFA GESTIS website
  - ECHA website
  - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

**Note for users:**

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.



**VALEO SERVICE SAS  
EUROPE**

**HYDRAULIC MINERAL FLUID (HYDRO GREEN)**

**(402410-402411)**

Revision nr. 1

Dated 13/03/2018

Printed on 10/04/2018

Page n. 11/11

This document must not be regarded as a guarantee on any specific product property.  
The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.  
Provide appointed staff with adequate training on how to use chemical products.

msds for B2C.